

Model(s) Aspen XT 2000 Target  
 Model Year 2000  
 Limbs XT 2000 (15" Magnum)  
 Cable Guard Bar S/S Xlong  
 Limb Bolt Length 2.5  
 Pocket

Date 1/20/1999  
 Revision A

Pocket #20	Letoff	Brace Height	Axle to Axle	Draw Length	Base Cam	Module Position	String	Buss Cable
	65%	8 1/8	39 1/8	23	1	B	51.25	41.25
AW	65%	8 1/8	39 1/8	24	1	D	51.25	41.25
AN5TA	65%	8 1/8	39 1/8	25	1	F	51.25	41.25
	65%	8 1/8	39 1/4	26	2	C	53.25	41.25
	65%	8 1/8	39 1/4	27	2	E	53.25	41.25
	65%	8 3/8	39	28	3	B	56.75	41.25
	65%	8 3/8	39	29	3	D	56.75	41.25
	65%	8 3/8	39	30	3	F	56.75	41.25
	65%	8 3/8	39	31	3	H	56.75	41.25

Pocket #20	Letoff	Brace Height	Axle to Axle	Draw Length	Base Cam	Module Position	String	Buss Cable
	65%	8 1/4	38 7/8	23	1	A	51.25	40.75
	65%	8 1/4	38 7/8	24	1	C	51.25	40.75
CC	65%	8 1/4	38 7/8	25	1	E	51.25	40.75
AN5TC/D	75 / 65%	8 1/8	39 3/8	26	2	A	54.25	41.25
	75 / 65%	8 1/8	39 3/8	27	2	C	54.25	41.25
	75 / 65%	8 1/8	39 3/8	28	2	E	54.25	41.25
	75 / 65%	8 1/8	39 3/8	29	2	G	54.25	41.25
	75 / 65%	8 1/4	39 1/4	30	3	C	57.75	41.75
	75 / 65%	8 1/4	39 1/4	31	3	E	57.75	41.75
	75 / 65%	8 1/4	39 1/4	32	3	G	57.75	41.75
	75 / 65%	8 1/4	39 3/4	33	4	F	60.25	42.25
	75 / 65%	8 1/4	39 3/4	34	4	H	60.25	42.25

Pocket #19	Letoff	Brace Height	Axle to Axle	Draw Length	Base Cam	Zebra String	Buss Cable	40
	75 / 65%	8 1/4	39 1/2	27	1	97.75	42.25	44
	75 / 65%	8 1/4	39 1/2	28	2	97.75	42.25	44
R/S	75 / 65%	8 1/4	39 1/2	29	3	97.75	42.25	44
AN5TR/S	75 / 65%	8 1/4	39 1/2	30	4	97.75	42.25	44
	75 / 65%	8 1/2	39 1/2	31	5	100.25	42.75	42
	75 / 65%	8 1/2	39 1/2	32	6	100.25	42.75	42
	75 / 65%	8 1/2	39 1/2	33	7	100.25	42.75	42
	75 / 65%	8 1/4	40	34	8	102.25	43.25	42

Master X	Letoff	Brace Height	Axle to Axle	Draw Length	Base Cam	Zebra String	Buss Cable	40
	65%	8 3/4	37 5/8	27	1	49.75	39.25	38
	65%	8 5/8	38 1/8	28	2	51.25	39.75	38
	65%	8 9/16	38 5/8	29	3	53.25	40.25	36
AN5TX	65%	8 3/4	38 7/16	30	4	53.75	40.25	34
	65%	8 5/8	38 7/8	31	5	55.75	40.75	32
	65%	8 5/8	39	32	6	57.25	40.75	32
	65%	8 3/8	39 5/8	33	7	59.25	41.25	32
	65%	8 1/4	39 7/8	34	8	60.75	41.75	32