

### Pro Defiant - UltraFlex - DFX Cam & 1/2

CAM	LETOFF	BRACE HEIGHT	AXLE TO AXLE	DRAW LENGTH	MODULE POSITION	BASE CAM	STRING	CONTROL CABLE	BUSS CABLE
DFX #1	75%	6 7/8	31	24	A	1	52.38	35.125	33.25
	77%	6 7/8	31	24 1/2	B	1	52.38	35.125	33.25
	78%	6 7/8	31	25	C	1	52.38	35.125	33.25
	79%	6 7/8	31	25 1/2	D	1	52.38	35.125	33.25
	78%	6 7/8	31	26	E	1	52.38	35.125	33.25

### Pro Defiant - UltraFlex - DFX Cam & 1/2

CAM	LETOFF	BRACE HEIGHT	AXLE TO AXLE	DRAW LENGTH	MODULE POSITION	BASE CAM	STRING	CONTROL CABLE	BUSS CABLE
DFX #2.1	78%	6 7/8	30 1/2	26	A	2.1	54.25	34.50	32.38
	78%	6 7/8	30 1/2	26 1/2	B	2.1	54.25	34.50	32.38
	80%	6 7/8	30 1/2	27	C	2.1	54.25	34.50	32.38
	79%	6 7/8	30 1/2	27 1/2	D	2.1	54.25	34.50	32.38
	79%	6 7/8	30 1/2	28	E	2.1	54.25	34.50	32.38

### Pro Defiant - UltraFlex - DFX Cam & 1/2

CAM	LETOFF	BRACE HEIGHT	AXLE TO AXLE	DRAW LENGTH	MODULE POSITION	BASE CAM	STRING	CONTROL CABLE	BUSS CABLE
DFX #3	78%	7	30 1/4	28	A	3	57.63	34.38	32.50
	80%	7	30 1/4	28 1/2	B	3	57.63	34.38	32.50
	80%	7	30 1/4	29	C	3	57.63	34.38	32.50
	80%	7	30 1/4	29 1/2	D	3	57.63	34.38	32.50
	78%	7	30 1/4	30	E	3	57.63	34.38	32.50

Pocket: W9

String model: D3 for #1 cam

Date: 2/21/18

Rocker: #14 & #15

String model: H2 for #2.1 cam

String model: D6 for #3 cam

Model: Pro Defiant

Limb: UltraFlex

Stealth shot bar: 4.50


ZT Flex mount #5

Model Year: 2018

Limb shox #3.1

Limb Bolt Length: 1.75

ZT Flex limb #1



# PRO DEFIANT 30

