



TUNE CHARTS

1997 TENACITY TECHNICAL SPECIFICATIONS

Limb	Wheel	Ave % Letoff	Ave Mass Weight	Ave Axle to Axle	Ave Brace Height	String Length	Cable Length	Module Hole	Draw Length	5 Grain Speed @ 70 lb	9 Grain Speed @ 70 lb
Carbonite	Advance Cam	80		36	6 1/2	50.5	32.5	A2-2	24		
						54	32.5	A2-4	25		
								A3-3	26		
								A3-5	27		
								A3-6	28		
								A3-8	29		
A3-10	30										
Carbonite	Master Cam	65		36	6 1/2	51	32.5	M2-2	24		
						54.5	32.5	M2-4	25		
								M2-6	26		
								M2-8	27		
								M3-6	28		
								M3-8	29		
M3-10	30										
Carbonite	Command Cam	60		36	6	51.5	33	C0	25		
						54	33	C1	26		
								C3	27		
								C4	28		
								C5	29		
								C6	30		
Carbonite	Indy Cam	65		36	6	93.5	33	I-C	26		
								I-E	27		
								I-G	28		
								I-I	29		
								I-K	30		
Super G	Advance Cam	80		37	6	52	34	A2-1	24		
						55.5	34	A2-3	25		
								A2-5	26		
								A3-4	27		
								A3-5	28		
								A3-7	29		
A3-9	30										
A3-10	31										
Super G	Master Cam	65		37 1/2	6	52.5	34	M2-1	24		
						56	34	M2-3	25		
								M2-5	26		
								M2-6	27		
								M2-8	28		
								M3-6	29		
M3-8	30										
M3-10	31										
Super G	Command Cam	60		37 1/2	5 3/4	52	34.5	C0	25		
						54.5	34.5	C1	26		
								C2	27		
								C3	28		
								C5	29		
								C6	30		
Super G	Indy Cam	65		37 1/2	6	97	34.5	I-B	26		
								I-D	27		
								I-F	28		
								I-H	29		
								I-J	30		
Intruder	Advance Cam	80		37 1/2	6	52.5	34.5	A2-1	24		
						55.5	34.5	A2-3	25		
								A2-5	26		
								A3-4	27		
								A3-6	28		
								A3-7	29		
A3-9	30										
Intruder	Master	65		37	6	53	34.5	M2-1	24		
						56	34.5	M2-3	25		
								M2-5	26		
								M2-6	27		
								M2-8	28		
								M3-7	29		
M3-9	30										
Intruder	Command Cam	60		37	5 3/4	53	35	C0	25		
						54	35	C1	26		
								C2	27		
								C3	28		
								C5	29		
								C6	30		